acf/schema/post_field_objects

- Description
- Changelog
- Parameters
- Return
- Example

Filter field objects before processing for a post.

Description

This filter allows you to modify or replace the field objects that are processed for JSON-LD output on posts. Return a non-null value to override the default field retrieval via `get_field_objects()`.

This is useful for adding custom data sources, filtering out specific fields, or providing field data from alternative sources.

Changelog

- Added in version 6.8.0

Parameters

```
apply_filters( 'acf/schema/post_field_objects', $field_objects, $post, $post_type );
```

- `$field_objects` *(array|null)* Field objects array, or null to use default retrieval

- `$post` *(WP_Post)* The post object
- `$post_type` *(string)* The post type name

Return

(array|null) Modified field objects array, or null to use default behavior.

Example

This example adds a virtual field for calculated data.

```
/**
 * Add calculated field to JSON-LD output.
 *
 * @param array|null $field_objects The field objects array.
 * @param WP_Post    $post          The post object.
 * @param string     $post_type     The post type.
 * @return array Modified field objects.
 */
function my_acf_schema_add_calculated_field( $field_objects, $post, $post_type ) {
    // Get default field objects if not already set
    if ( null === $field_objects ) {
        $field_objects = get_field_objects( $post->ID, false );
    }

    if ( ! is_array( $field_objects ) ) {
        $field_objects = array();
    }

    // Add calculated total time for recipes
    if ( $post_type === 'recipe' ) {
        $prep_time = get_field( 'prep_time', $post->ID );
        $cook_time = get_field( 'cook_time', $post->ID );

        $field_objects['total_time'] = array(
            'value'           => $prep_time + $cook_time,
            'schema_property' => 'totalTime',
```

```
            'type'            => 'number',
        );
    }

    return $field_objects;
}
add_filter( 'acf/schema/post_field_objects', 'my_acf_schema_add_calculated_field', 10, 3 );
```

This example excludes specific fields from JSON-LD output.

```
/**
 * Exclude internal fields from JSON-LD output.
 *
 * @param array|null $field_objects The field objects array.
 * @param WP_Post    $post          The post object.
 * @param string     $post_type     The post type.
 * @return array Modified field objects.
 */
function my_acf_schema_exclude_internal_fields( $field_objects, $post, $post_type ) {
    if ( null === $field_objects ) {
        $field_objects = get_field_objects( $post->ID, false );
    }

    if ( ! is_array( $field_objects ) ) {
        return $field_objects;
    }

    // Remove fields starting with underscore
    foreach ( $field_objects as $key => $field ) {
        if ( strpos( $key, '_' ) === 0 ) {
            unset( $field_objects[ $key ] );
        }
    }

    return $field_objects;
}
add_filter( 'acf/schema/post_field_objects', 'my_acf_schema_exclude_internal_fields', 10, 3 );
```

□□□ #1
□ □□□ □□□ 2026-08-29 15:44:03 UTC
□ □□□ □□□ 2026-08-29 15:44:03 UTC