blocks/expanded_editor_overlay_class

- Description
- Parameters
- Example
  - Add a custom class to the overlay
  - Apply different classes based on block name
  - Replace the class entirely
- Changelog
- Notes

Customize the CSS class on the Expanded Editor modal overlay.

Description

This JavaScript filter allows you to modify the CSS class applied to the Expanded Editor modal overlay in ACF Blocks V3. This is useful for applying custom styling to the overlay.

Parameters

```
acf.addFilter( 'blocks/expanded_editor_overlay_class', function( className, block ) {
    return className;
});
```

`className` *(string)* The CSS class name for the overlay. Default: `'acf-expanded-editor-overlay'`

`block` *(object)* The block object containing block data and attributes.

Example

Add a custom class to the overlay

```
acf.addFilter( 'blocks/expanded_editor_overlay_class', function( className, block ) {
    return className + ' my-custom-overlay';
});
```

Apply different classes based on block name

```
acf.addFilter( 'blocks/expanded_editor_overlay_class', function( className, block ) {
    if ( block.name === 'acf/hero' ) {
        return className + ' hero-overlay';
    }
    return className;
});
```

Replace the class entirely

```
acf.addFilter( 'blocks/expanded_editor_overlay_class', function( className, block ) {
    return 'my-overlay-class';
});
```

Changelog

- Added in version 6.8

Notes

- This is a JavaScript filter, not a PHP filter
- Use `acf.addFilter()` to register the filter in your block editor scripts

- The filter runs when the Expanded Editor modal is opened
- This filter only applies to ACF Blocks V3

版本号 #1
由 壳壳虫 创建于 2026-08-29 15:44:03 UTC
由 壳壳虫 更新于 2026-08-29 15:44:03 UTC