VOSS Platform Options

- Connections available
- Using CLI in Ansible
  - Example CLI group_vars/voss.yml
  - Example CLI task

Extreme VOSS is part of the community.network collection and only supports CLI connections today. This page offers details on how to use `ansible.netcommon.network_cli` on VOSS in Ansible.

Connections available

..	CLI
Protocol	SSH
Credentials	uses SSH keys / SSH-agent if present accepts `-u myuser -k` if using password
Indirect Access	by a bastion (jump host)
Connection Settings	`ansible_connection: ansible.netcommon.network_cli`
Enable Mode |br| (Privilege Escalation)	supported: use `ansible_become: true` with `ansible_become_method: enable`
Returned Data Format	`stdout[0].`

VOSS does not support `ansible_connection: local`. You must use `ansible_connection: ansible.netcommon.network_cli`.

Using CLI in Ansible

Example CLI `group_vars/voss.yml`

```
ansible_connection: ansible.netcommon.network_cli
ansible_network_os: community.network.voss
ansible_user: myuser
ansible_become: true
ansible_become_method: enable
ansible_password: !vault...
ansible_paramiko_proxy_command: '-o ProxyCommand="ssh -W %h:%p -q bastion01"'
```

- If you are using SSH keys (including an ssh-agent) you can remove the `ansible_password` configuration.
- If you are accessing your host directly (not through a bastion/jump host) you can remove the `ansible_paramiko_proxy_command` configuration.
- If you are accessing your host through a bastion/jump host, you cannot include your SSH password in the `ProxyCommand` directive. To prevent secrets from leaking out (for example in `ps` output), SSH does not support providing passwords through environment variables.

Example CLI task

```
- name: Retrieve VOSS info
  community.network.voss_command:
    commands: show sys-info
  when: ansible_network_os == 'community.network.voss'
```

> Never store passwords in plain text. We recommend using SSH keys to authenticate SSH connections. Ansible supports ssh-agent to manage your SSH keys. If you must use passwords to authenticate SSH connections, we recommend encrypting them with `Ansible Vault <playbooks_vault>`.

`timeout_options`

□□□ #2
□ □□□ □□□ 2026-10-31 14:39:15 UTC
□ □□□ □□□ 2026-10-31 14:39:16 UTC