



□□

- [□□](#)
- [□□□](#)
- [□□□](#)
- [□□□](#)
- [□□□](#)
- [□□□□](#)



Bash □□ Readline □□□□□□□□ “□□ ”
□□□□□□□□□□□□□□□□

□□□□□ Emacs □□□□□□ Vi □□□

```
$ set -o vi
```

□□□□□□□ Emacs □□□

```
$ set -o emacs
```

□□□□□□□□□ Emacs / Vi □□□□□□□ `~/.inputrc` □□□□□□ Readline
□□□□□

```
set editing-mode vi
```

□□□□□□□□□ Emacs □□ Vi □□□□□□□□□□ Vi □□□□□□

Bash □□□□□□□□□□□□

```
$ bash --noediting
```


Alt Esc



Tab Readline clear
Tab Bash

Tab Bash

Tab \$ Tab ~
@ hostname /etc/hosts

- Tab
- Alt + ? Tab
- Alt + /
- Ctrl + x / Ctrl + x / Alt + ?
- Alt + !
- Ctrl + x ! Ctrl + x ! Alt + !
- Alt + ~
- Ctrl + x ~ Ctrl + x ~ Alt + ~
- Alt + \$
- Ctrl + x \$ Ctrl + x \$ Alt + \$
- Alt + @
- Ctrl + x @ Ctrl + x @ Alt + @
- Alt + *
- Alt + Tab .bash_history

Alt ESC



- Ctrl + j LINEFEED
- Ctrl + m CARRIAGE RETURN
- Ctrl + o
- Ctrl + v ^M
- Ctrl + [ESC
- Alt + .
- Alt + _ Alt + .

Alt + .

Unix

```
$ mkdir foo_bar
$ cd # Alt + .
```

cd

Alt + .

foo_bar

```
#2
cocobook-sync 2026-10-28 10:52:01 UTC
cocobook-sync 2026-10-28 11:27:15 UTC
```