RtkNotificationConfig

- Properties
- RtkNotification properties
- Usage Examples
  - Basic Usage
  - Customize notifications

Configuration class for controlling notification behavior in meetings. Manages sound and toast notifications for participant join/leave events, chat messages, and polls.

Properties

Property	Type	Required	Default	Description
`participantJoined`	`RtkNotification`		`RtkNotification()`	Notification settings for participant join events
`participantLeft`	`RtkNotification`		`RtkNotification()`	Notification settings for participant leave events
`newChatArrived`	`RtkNotification`		`RtkNotification()`	Notification settings for new chat messages
`newPollArrived`	`RtkNotification`		`RtkNotification()`	Notification settings for new poll events

RtkNotification properties

Each `RtkNotification` instance contains the following properties:

Property	Type	Required	Default	Description

`playSound`	`Bool`	□	`true`	Whether to play a notification sound
`showToast`	`Bool`	□	`true`	Whether to show a toast notification

Usage Examples

Basic Usage

```
import RealtimeKitUI

let rtkUI = RealtimeKitUI(meetingInfo: meetingInfo)
// Access the default notification config
let notificationConfig = rtkUI.notification
```

Customize notifications

```
import RealtimeKitUI

let rtkUI = RealtimeKitUI(meetingInfo: meetingInfo)

// Disable sound for participant join events
rtkUI.notification.participantJoined.playSound = false

// Disable toast for chat messages
rtkUI.notification.newChatArrived.showToast = false
```

□□□ #2
□ □□□ □□□ 2026-11-01 03:31:00 UTC
□ □□□ □□□ 2026-11-01 03:31:01 UTC