

CSS



- [inherit!\[\]\(c8dce68b26731c7aa5915072fc9d68dd_img.jpg\)](#)
 - [initial!\[\]\(76b3245de86167eba9fcdc9cc9f32aa4_img.jpg\)](#)
 - [unset!\[\]\(13db7587f50867332e5bedc6a161739d_img.jpg\)](#)
 - [revert!\[\]\(7be5ea91065783fbb69e41ba5d9680f7_img.jpg\)](#)
 - [background-blend-mode](#)
 - [background-image](#)
 - [background-position](#)
 - [background-blend-mode](#)
 - [border-image](#)
 - [content](#)
 - [counter](#)
 - [cursor](#)
 - [display](#)
 - [filter](#)
 - [flex](#)
 - [filter](#)
 - [mix-blend-mode](#)
 - [object-fit](#)
 - [object-position](#)
 - [pointer-events](#)
 - [text-overflow](#)
 - [position](#)
 - [transition](#)
-

inherit

CSS

body

```
body {  
  font-family: Arial, Helvetica, sans-serif;  
}
```

body

font-family

CSS

1. azimuth
2. border-collapse
3. border-spacing
4. caption-side
5. color
6. cursor
7. direction
8. elevation
9. empty-cells
10. font-family
11. font-size
12. font-style
13. font-variant
14. font-weight
15. font
16. letter-spacing
17. line-height
18. list-style-image
19. list-style-position
20. list-style-type
21. list-style
22. orphans
23. pitch-range
24. pitch
25. quotes
26. richness
27. speak-header
28. speak-numeral
29. speak-punctuation
30. speak
31. speech-rate
32. stress
33. text-align
34. text-indent


```
.berries {
  border: 1rem solid #000;
  color: red;
  font-family: Verdana;
  margin-bottom: 10px;
}

.berries h1 {
  color: initial;
}
```

h1

h1

color ☐

`initial`

[illegible]

h1

h1

--	--	--

inherit

```
initial
```

unset

```
h1 {
    color: blue;
}

div {
    border: 1rem solid #000;
    color: red;
    font-family: Verdana;
    margin-bottom: 10px;
}

.berries h1 {
    color: unset;
}
```

```
h1 {
    color: blue;
}

div {
    border: 1rem solid #000;
    color: red;
    font-family: Verdana;
    margin-bottom: 10px;
}

.berries h1 {
    color: unset;
}
```

div h1 .berries h1 color h1 color:
unset h1 color

unset inherit div color .berries h1

```
h1 {  
  color: blue;  
}  
  
div {  
  border: 1rem solid #000;  
  font-family: Verdana;  
  margin-bottom: 10px;  
}  
  
.berries h1 {  
  color: unset;  
}
```

div .berries h1

revert

revert font-weight font-weight: unset

- revert font-weight font-weight: revert
- revert font-weight

font-weight: revert

revert unset CSS

```
<h3 style="font-weight: unset;">hello</h3>  
<h3 style="font-weight: revert;">hello</h3>
```

font-weight: unset font-weight normal <font-weight: revert>
h3 font-weight
all: revert

```
<h3 style="all: revert;">hello</h3>
```

background-blend-mode

background-blend-mode 16 normal , multiply, screen, overlay, darken, lighten, color-dodge, color-burn, hard-light, soft-light, difference, exclusion, hue, saturation, color and luminosity

```
background-image: url(...g);  
background-color: #51B7D3;  
background-blend-mode: luminosity;
```

background-image

background

```
body {  
  background: url(sweettexture.jpg) blue;  
}
```

background-position

background-position

```
background-position: 100px 5px;
```

- top

- right
- bottom
- left
- center

background-blend-mode

background-blend-mode 

```
div {  
  background: url(img/pattern.png), url(img/jellyfish.jpg), #f07e32;  
  background-blend-mode: screen;  
}
```

Demo  <http://codepen.io/tutsplus/live/wMvoyj>

 <http://webdesign.tutsplus.com/tutorials/blending-modes-in-css-color-theory-and-practical-application--cms-25201>

border-image



content



```
.myDiv:after {  
  content: "I am hardcoded text from the *content* property";  
}  
  
div[data-line]:after {  
  content: attr(data-line); /*  */  
}  
  
div[data-line]:after {
```

```
content: "[line " attr(data-line) "]";
}
```

counter

counter■■■■■■■

```
<ol class="list">
  <li>a</li>
  <li>b</li>
  <li>c</li>
</ol>
```

li■■■■■■■■■■■■■

```
.list {
  counter-reset: i; //reset conunter
}
.list > li {
  counter-increment: i; //counter ID
}
.list li:after {
  content: "[" counter(i) "]; //print the result
}
```

■■■■■■■■■■■■■

```
<div class="numbers">
  <input id="one" type="checkbox"><label for="one">1</label>
  <input id="two" type="checkbox"><label for="two">2</label>
  <input id="three" type="checkbox"><label for="three">3</label>
  <input id="four" type="checkbox"><label for="four">4</label>
  <input id="five" type="checkbox"><label for="five">5</label>
  <input id="one-hundred" type="checkbox"><label for="one-hundred">100</label>
</div>
<p class="sum">
  Sum
</p>
```



```
.numbers {
  counter-reset: sum;
}

#one:checked { counter-increment: sum 1; }
#two:checked { counter-increment: sum 2; }
#three:checked { counter-increment: sum 3; }
#four:checked { counter-increment: sum 4; }
#five:checked { counter-increment: sum 5; }
#one-hundred:checked { counter-increment: sum 100; }

.sum::after {
  content: '= ' counter(sum);
}
```

cursor

cursor

```
.cursor_auto {
  cursor: auto;
}

.cursor_default {
  cursor: default;
}

.cursor_none {
  cursor: none;
}

.cursor_pointer {
  cursor: pointer;
}

.cursor_progress {
```

```
    cursor: progress;
}

.cursor_help {
    cursor: help;
}

.cursor_text {
    cursor: text;
}

.cursor_cell {
    cursor: cell;
}

.cursor_crosshair {
    cursor: crosshair;
}

.cursor_alias {
    cursor: alias;
}

.cursor_context-menu {
    cursor: context-menu;
}

.cursor_vertical-text {
    cursor: vertical-text;
} /*not compatible with opera*/

.cursor_copy {
    cursor: copy;
}

.cursor_move {
    cursor: move;
}
```

```
.cursor_no-drop {  
    cursor: no-drop;  
} /*not compatible with opera*/
```

```
.cursor_not-allowed {  
    cursor: not-allowed;  
} /*not compatible with opera*/
```

```
.cursor_all-scroll {  
    cursor: all-scroll;  
} /*not compatible with opera*/
```

```
.cursor_col-resize {  
    cursor: col-resize;  
} /*not compatible with opera*/
```

```
.cursor_row-resize {  
    cursor: row-resize;  
} /*not compatible with opera*/
```

```
.cursor_nesw-resize {  
    cursor: nesw-resize;  
}
```

```
.cursor_nwse-resize {  
    cursor: nwse-resize;  
}
```

```
.cursor_n-resize {  
    cursor: n-resize;  
}
```

```
.cursor_e-resize {  
    cursor: e-resize;  
}
```

```
.cursor_s-resize {  
    cursor: s-resize;  
}
```

```
.cursor_w-resize {
    cursor: w-resize;
}

.cursor_ns-resize {
    cursor: ns-resize;
}

.cursor_ew-resize {
    cursor: ew-resize;
}

.cursor_ne-resize {
    cursor: ne-resize;
}

.cursor_nw-resize {
    cursor: nw-resize;
}

.cursor_sw-resize {
    cursor: sw-resize;
}

.cursor_se-resize {
    cursor: se-resize;
}

.cursor_wait {
    cursor: wait;
}

.cursor_grab {
    cursor: grab;
} /*only compatible with firefox and opera*/

.cursor_grabbing {
    cursor: grabbing;
} /*only compatible with firefox and opera*/
```

```

.cursor_zoom-in {
    cursor: zoom-in;
} /*not compatible with explorer*/

.cursor_zoom-out {
    cursor: zoom-out;
} /*not compatible with explorer*/

.cursor_custom {
    cursor: url(image.gif), url(image.cur), auto;
}

```

display

display□□□□□□□□

```

display: block;
display: flex;

```

filter

filter□□□□□□□□ grayscale, blur, sepia, saturate, opacity, brightness, contrast, hue-rotate, invert□□

□□□□

```

img.bw {
    filter: grayscale(1);
}

```

□□□□

```

img.bw {
    filter: grayscale(0);
}

```

```

}

img.bw.grey {
  filter: grayscale(1);
  transition-property: filter;
  transition-duration: 1s;
}

```

□□□□

```

/* □□ */
.myElement {
  -webkit-filter: blur(2px);
}

/* □□□□ */
.myElement {
  -webkit-filter: blur(2px) grayscale(.5) opacity(0.8);
}

```

□□□□□□□□□□

```

.spoiler {
  -webkit-filter: blur(20px);
  -webkit-transition-property: -webkit-filter;
  -webkit-transition-duration: .4s;
}

.spoiler:hover, .spoiler:focus {
  -webkit-filter: blur(0px);
}

```

flex

flex□□□□□□□□□□

```
div{
  display: flex;
}
```

filter

filter

- blur()
- brightness() 0% 100%
- contrast() 0% 100%
- grayscale() 0% 100%
- hue-rotate() 0 360
- invert() 0% 100%
- opacity() 0% 100%
- saturate() 0% 100%
- sepia() 0% 100%
- drop-shadow() box-shadow
- url() SVG

```
filter: sepia(1) brightness(150%) contrast(0.5);
```

mix-blend-mode

mix-blend-mode
blend-mode 16

background-

object-fit

```
img {
  height: 100px;
  width: 100px;
  object-fit: contain;
```

```
}
```

object-fit

```
object-fit: fill
object-fit: contain
object-fit: cover
object-fit: none
object-fit: scale-down
```

- contain
- fill
- cover
- none
- scale-down: none contain

cover

```
img {
  object-fit: cover;
}
```

- MDN, [object-fit](#)
- Chris Nager, [Center and crop images with a single line of CSS](#)
- Chris Mills, [Exploring object-fit](#)

object-position

object-position

background-position

```
img {
  height: 100px;
```

```
width: 100px;
object-fit: contain;
object-position: top 70px;
}
```

```
/* 000000000000 */

img {
  pointer-events: none;
}

a[href="http://example.com"] {
  pointer-events: none;
}
```

[illegible]

```
.ellipsis {
  overflow: hidden;
  white-space: nowrap;
  text-overflow: ellipsis;
}
```

[illegible]

position

```
position: relative;
position: sticky;
position: absolute;
position: fixed;
```

transition

```
/* Format */
transition: property || duration || timing-function || delay

/* Various Examples */
transition: all 300ms ease 0;
transition: all 0.5s ease-in-out 0;
transition: background 300ms cubic-bezier(.61,-0.67,0,1.45) 0;
transition: opacity 100ms ease 0, background 200ms ease-in-out 0, transform 200ms ease-out 0;

/* Cross Browser Prefixes */
-webkit-transition: all 300ms ease 0;
-moz-transition: all 300ms ease 0;
-o-transition: all 300ms ease 0;
transition: all 300ms ease 0;
```

 #2

 2017-02-16 16:44:53 UTC

 2019-11-27 15:58:31 UTC