Rendering Inline Editing

□□

- Inline Editing Toolbars
- □□□□□□□□ _____
- Example of Inline Editing

When developing widgets, developers can define which controls will be inline editable in both the editor panel and preview area.

https://www.youtube.com/embed/miNu2oONgYI

Inline Editing Toolbars

Elementor supports the following types of toolbars for inline editing:

- **No Toolbar** – `(none)` Inline text editing without a toolbar, just typing text inline.
- **Basic Toolbar** – `(basic)` Inline text editing with a minimal toolbar, including: bold, italic and underline buttons.
- **Advanced Toolbar** – `(advanced)` Inline text editing with a full toolbar, including: adding/removing links, H1-H6 heading, blockquote, preformatting and bulleted or numbered list buttons.

Elementor recommends using inline editing as follows:

- **Input controls** – use inline editing without any toolbars in simple text/number/url/email fields.
- **Textarea controls** – use inline editing with a minimal toolbar.
- **Wysiwyg controls** – use inline editing with a full toolbar.

□□□□□□□

□□□□□□□□□ widget □ `render()` □□□□□ `add_inline_editing_attributes()` □□□□□□ `content_template()` □□□ `addInlineEditingAttributes()` □□□□□□

□□□□□□□□□□□□□□□

- □ `(string)` – □□□□□□□□□□□
- □□□ `(string)` – □□□□□□□□□□□□□ `advanced` □ `basic` □ `none` □□□□□ `none` □

□□□□□□□□□□□□□□□□

```
<?php
class Elementor_Test_Widget extends \Elementor\Widget_Base {

□protected function render(): void {
□□$this->add_inline_editing_attributes( 'text', 'advanced' );
□□echo '<div ' . $this->get_render_attribute_string( 'text' ) . '>' . $this->get_settings(
'text' ) . '</div>';
□}

□protected function content_template(): void {
□□?>
□□<# view.addInlineEditingAttributes( 'text', 'advanced' ); #>
□□<div {{{ view.getRenderAttributeString( 'text' ) }}}>{{{ settings.text }}}</div>
□□<?php
□}

}
```

Example of Inline Editing

The following is a full example using three controls all having inline support. This includes simple text without a toolbar, a textarea with a basic toolbar, and a wysiwyg with an advanced toolbar:

```
<?php
class Elementor_Test_Widget extends \Elementor\Widget_Base {

□protected function register_controls(): void {

□□$this->start_controls_section(
□□□'content_section',
□□□[
```

```
        'label' => esc_html__( 'Content', 'textdomain' ),
        'tab' => \Elementor\Controls_Manager::TAB_CONTENT,
    ]
    );

    $this->add_control(
    'title',
    [
        'label' => esc_html__( 'Title', 'textdomain' ),
        'type' => \Elementor\Controls_Manager::TEXT,
        'default' => esc_html__( 'Title', 'textdomain' ),
    ]
    );

    $this->add_control(
    'description',
    [
        'label' => esc_html__( 'Description', 'textdomain' ),
        'type' => \Elementor\Controls_Manager::TEXTAREA,
        'default' => esc_html__( 'Description', 'textdomain' ),
    ]
    );

    $this->add_control(
    'content',
    [
        'label' => esc_html__( 'Content', 'textdomain' ),
        'type' => \Elementor\Controls_Manager::WYSIWYG,
        'default' => esc_html__( 'Content', 'textdomain' ),
    ]
    );

    $this->end_controls_section();

}

protected function render(): void {
    $settings = $this->get_settings_for_display();

    $this->add_inline_editing_attributes( 'title', 'none' );
    $this->add_inline_editing_attributes( 'description', 'basic' );
```

```
□□$this->add_inline_editing_attributes( 'content', 'advanced' );
□□?>
□□<h2 <?php $this->print_render_attribute_string( 'title' ); ?>><?php echo $settings['title'];
?></h2>
□□<div <?php $this->print_render_attribute_string( 'description' ); ?>><?php echo
$settings['description']; ?></div>
□□<div <?php $this->print_render_attribute_string( 'content' ); ?>><?php echo
$settings['content']; ?></div>
□□<?php
□}

□protected function content_template(): void {
□□?>
□□<#
□□view.addInlineEditingAttributes( 'title', 'none' );
□□view.addInlineEditingAttributes( 'description', 'basic' );
□□view.addInlineEditingAttributes( 'content', 'advanced' );
□□#>
□□<h2 {{{ view.getRenderAttributeString( 'title' ) }}}>{{{ settings.title }}}</h2>
□□<div {{{ view.getRenderAttributeString( 'description' ) }}}>{{{ settings.description }}}</div
□□<div {{{ view.getRenderAttributeString( 'content' ) }}}>{{{ settings.content }}}</div>
□□<?php
□}

}
```

□□□ #2
□ □□□ □□□ 2026-03-26 17:08:44 UTC
□ □□□ □□□ 2026-03-26 17:08:44 UTC