

Conan Package Registry



- [Requirements](#)
- [Configuring the package registry](#)
- [Publish a package](#)
- [Install a package](#)
- [Supported commands](#)

Publish [Conan](#) packages for your user or organization.

Requirements

To work with the Conan package registry, you need to use the [conan](#) command line tool to consume and publish packages.

Configuring the package registry

To register the package registry you need to configure a new Conan remote:

```
conan remote add {remote} https://forgejo.example.com/api/packages/{owner}/conan
conan user --remote {remote} --password {password} {username}
```

Parameter	Description
<code>remote</code>	The remote name.
<code>username</code>	Your Forgejo username.
<code>password</code>	Your Forgejo password. If you are using 2FA or OAuth use a personal access token instead of the password.
<code>owner</code>	The owner of the package.

For example:

```
conan remote add forgejo https://forgejo.example.com/api/packages/testuser/conan
conan user --remote forgejo --password password123 testuser
```

Publish a package

Publish a Conan package by running the following command:

```
conan upload --remote={remote} {recipe}
```

Parameter	Description
<code>remote</code>	The remote name.
<code>recipe</code>	The recipe to upload.

For example:

```
conan upload --remote=forgejo ConanPackage/1.2@forgejo/final
```

The Forgejo Conan package registry has full [revision](#) support.

Install a package

To install a Conan package from the package registry, execute the following command:

```
conan install --remote={remote} {recipe}
```

Parameter	Description
<code>remote</code>	The remote name.
<code>recipe</code>	The recipe to download.

For example:

```
conan install --remote=forgejo ConanPackage/1.2@forgejo/final
```

Supported commands

```
conan install
conan get
conan info
conan search
conan upload
conan user
conan download
conan remove
```

📁 #3

📁 cocobook-sync 📁 2026-10-28 16:38:35 UTC

📁 cocobook-sync 📁 2026-10-29 01:09:31 UTC