

Git



- □□
- Git □□□□□
- □□□□
- □□□□□□□□
- □□□□□□□□□□
- □□
- Git □□□

[illegible]

Git ☐ Gutenberg ☐☐☐☐

Git

Git

--	--	--	--	--	--

CC BY-NC-SA 3.0 Pro Git

--	--	--	--	--	--

[illegible]Git

Git  

[illegible]

GitHub 



-  Gutenberg 
-        
-     
-       
-      
-        
-        
-  Gutenberg       

☐ Gutenberg ☐

GitHub 

Git 教程

在本教程中，我们将学习如何使用 Git 来管理我们的代码。首先，我们将创建一个 GitHub 仓库，名为 Gutenberg。

1. 安装 Git

Git 已经安装在您的计算机上。

2. 1. 在 GitHub 上创建 Gutenberg 仓库。Fork Gutenberg 仓库。

GitHub 仓库 fork 到本地。

2. 使用以下命令克隆您的 fork 仓库：
`https://github.com/YOUR-USER-NAME/gutenberg`

```
git clone https://github.com/YOUR-USER-NAME/gutenberg
```

3. 在本地创建名为 gutenberg 的目录。

4. 3. 使用以下命令切换到 my-branch 分支：
`update/my-branch`

```
git switch -c update/my-branch
```

5. 4. 在您的代码编辑器中，添加或修改文件。

5. 5. 将您的更改提交到本地仓库。

```
git commit -m "Your Good Commit Message" path/to/FILE
```

6. 6. 将您的更改推送到 GitHub 仓库。

```
git push -u origin update/my-branch
```

7. 7. 在 GitHub 上，您的 fork 仓库现在显示了您的更改。

8. 8. 在 WordPress Gutenberg 仓库中，fork 您的更改。

9. 8. 在 WordPress Gutenberg 仓库中，fork 您的更改。

9
4-6

GitHub

WordPress Gutenberg

PR
PR

PR

[]/[]

- add/ =
- try/ = “ ”
- update/ =
- remove/ =
- fix/ =

add/gallery-block

" "

Gutenberg

trunk trunk

git push --force-with-lease --force-with-lease

trunk

```
git fetch
git rebase trunk
git push --force-with-lease origin 000000
```



The diagram illustrates the 'fork' and 'checkout' steps of a branching strategy. It shows a 'Gutenberg' repository with a 'main' branch. A 'fork' is created, resulting in a new 'Gutenberg' repository with its own 'main' branch. A 'checkout -b my-new-branch' is performed, creating a new branch 'my-new-branch' from 'main'. The diagram uses colored boxes to represent branches and their relationships.

```
git remote add upstream https://github.com/WordPress/gutenberg.git
git remote -v
origin	git@github.com:your-account/gutenberg.git (fetch)
origin	git@github.com:your-account/gutenberg.git (push)
upstream	https://github.com/WordPress/gutenberg.git (fetch)
upstream	https://github.com/WordPress/gutenberg.git (push)
```



```
git fetch upstream
git checkout trunk
git merge upstream/trunk
```




```
git push
```


 upstream

 trunk

 trunk



Git



git

```
.git-blame-ignore-revs
```

2026-03-27 01:08:43 UTC