get-icon

- Iconify for Ember function: getIcon
  - Usage
  - Examples


```
title: 'Iconify for Ember Function: getIcon'
types:
  IconifyIcon: '/docs/types/iconify-icon.md'
```

Iconify for Ember function: getIcon

This tutorial is part of Iconify for Ember functions tutorial.

`include icon-components/functions/get-icon/intro`

Usage

`include icon-components/functions/get-icon/props`

Examples

```
src: icon-components/common/get-icon.js
extra:
  - src: icon-components/iconify/get-icon.json
    title: 'Result:'
```

```
replacements:
  - search: '@iconify/react'
    replace: '@iconify/ember/components/iconify-icon'
```

Another example:

```
src: icon-components/common/get-icon2.js
extra:
  - src: icon-components/iconify/get-icon2.json
    title: 'Result:'
replacements:
  - search: '@iconify/react'
    replace: '@iconify/ember/components/iconify-icon'
```

Example with bad icon name, returns `null`:

```
src: icon-components/common/get-icon-null.js
replacements:
  - search: '@iconify/react'
    replace: '@iconify/ember/components/iconify-icon'
```

版本号 #2
由 壳壳虫 创建于 2026-10-31 14:17:36 UTC
由 壳壳虫 更新于 2026-10-31 14:17:37 UTC