Hide Tabs with Conditional Logic

- Basic
- Hide the first tab

Conditional Logic works with any DOM elements. That means you can hide your tabs created by MB Tabs extension with MB Conditional Logic. This guide shows you how to do that.

Basic

Because tabs are not regular fields or meta boxes, you have to use `rwmb_outside_conditions` filter to tell Conditional Logic to add this element. Imagine that you have created a meta box like this:

```
add_filter( 'rwmb_meta_boxes', function($meta_boxes) {
    $meta_boxes[] = array(
        'title'     => 'MB Tabs 2',
        'tabs'      => array(
            'bio'      => 'Biography',
            'interest' => 'Interest',
        ),
        'tab_style' => 'box',
        'fields'    => array(
            array(
                'name' => 'Bio',
                'id'   => 'bio',
                'type' => 'textarea',
                'tab'  => 'bio',
            ),
            array(
                'name' => 'Interest',
```

```
                'id'   => 'interest',
                'type' => 'textarea',
                'tab'  => 'interest',
            ),
        ),
    );

    return $meta_boxes;
});
```

This will generate a meta box with two tabs `Biography` and `Interest`. And here is the HTML output:

```
<ul class="rwmb-tab-nav">
    <li class="rwmb-tab-bio rwmb-tab-active" data-panel="bio"><a href="#">Biography</a></li>
    <li class="rwmb-tab-interest" data-panel="interest"><a href="#">Interest</a></li>
</ul>
```

If you want to hide a tab, just add its class to `rwmb_outside_conditions` filter. For example, if I want to hide `Interest` tab when post format is `aside`, add these lines:

```
add_filter( 'rwmb_outside_conditions', function( $conditions ) {
    $conditions['.rwmb-tab-interest'] = array(
        'hidden' => array( 'post_format', 'aside' ),
    );
    return $conditions;
} );
```

This will tell Conditional Logic to hide `.rwmb-tab-interest` selector when `post_format` is `aside`

Hide the first tab

In case you want to hide the first tab, you have to hide its tab pane also and show the next tab pane. This example shows you how to do that:

```
add_filter( 'rwmb_outside_conditions', function( $conditions ) {
    $conditions['.rwmb-tab-bio, .rwmb-tab-panel-bio'] = array(
        'hidden' => array( 'post_format', 'aside' )
    );
    $conditions['.rwmb-tab-panel-interest'] = array(
        'visible' => array( 'post_format', 'aside' )
```

```
    );
    return $conditions;
} );
```

□□□ #1
□ □□□ □□□ 2026-08-29 23:36:17 UTC
□ □□□ □□□ 2026-08-29 23:36:17 UTC