errno

mysqli_stmt::$errno

mysqli_stmt_errno

Returns the error code for the most recent statement call

ENTITY

ENTITY

int

mysqli_stmt-ENTITYerrno

ENTITY

int

mysqli_stmt_errno

mysqli_stmt

statement

Returns the error code for the most recently invoked statement function that can succeed or fail.

ENTITY

ENTITY

An error code value. Zero means no error occurred.

ENTITY

ENTITY

```php
<?php
/* Open a connection */
$mysqli = new mysqli("localhost", "my_user", "my_password", "world");

/* check connection */
if (mysqli_connect_errno()) {
    printf("Connect failed: %s\n", mysqli_connect_error());
    exit();
}

$mysqli->query("CREATE TABLE myCountry LIKE Country");
$mysqli->query("INSERT INTO myCountry SELECT * FROM Country");


$query = "SELECT Name, Code FROM myCountry ORDER BY Name";
if ($stmt = $mysqli->prepare($query)) {

    /* drop table */
    $mysqli->query("DROP TABLE myCountry");

    /* execute query */
    $stmt->execute();

    printf("Error: %d.\n", $stmt->errno);

    /* close statement */
    $stmt->close();
}

/* close connection */
$mysqli->close();
?>
```

ENTITY

```php
<?php
/* Open a connection */
```

```
$link = mysqli_connect("localhost", "my_user", "my_password", "world");

/* check connection */
if (mysqli_connect_errno()) {
    printf("Connect failed: %s\n", mysqli_connect_error());
    exit();
}

mysqli_query($link, "CREATE TABLE myCountry LIKE Country");
mysqli_query($link, "INSERT INTO myCountry SELECT * FROM Country");


$query = "SELECT Name, Code FROM myCountry ORDER BY Name";
if ($stmt = mysqli_prepare($link, $query)) {

    /* drop table */
    mysqli_query($link, "DROP TABLE myCountry");

    /* execute query */
    mysqli_stmt_execute($stmt);

    printf("Error: %d.\n", mysqli_stmt_errno($stmt));

    /* close statement */
    mysqli_stmt_close($stmt);
}

/* close connection */
mysqli_close($link);
?>
```

ENTITY

```
Error: 1146.
```

ENTITY

`mysqli_stmt_error`, `mysqli_stmt_sqlstate`

□□□ #2
□ □□□ □□□ 2026-10-31 17:59:02 UTC
□ □□□ □□□ 2026-10-31 17:59:04 UTC