Other changes

- Moving of utf8_encode and utf8_decode
- Changes to mail and mb_send_mail
- LMDB support
- Changes to the PHP build system
- Changes to GD
- Moving MCrypt to PECL
- session_module_name

Moving of `utf8_encode` and `utf8_decode`

The `utf8_encode` and `utf8_decode` functions have now been moved to the standard extension as string functions, whereas before the XML extension was required for them to be available.

Changes to `mail` and `mb_send_mail`

The $additional_headers parameter of `mail` and `mb_send_mail` now also accepts an `array` instead of a `string`.

LMDB support

The DBA extension now has support for LMDB.

Changes to the PHP build system

- Unix: Autoconf 2.64 or greater is now required to build PHP.
- Unix: `--with-pdo-oci` configure argument no longer needs the version number of the Oracle Instant Client.
- Unix: `--enable-gd-native-ttf` configure argument has been removed. This was not used since PHP 5.5.0.
- Windows: `--with-config-profile` configure argument has been added. This can be used to save specific configures, much like the magical `config.nice.bat` file.

Changes to GD

- `imageantialias` is now also available if compiled with a system libgd.
- `imagegd` stores truecolor images as real truecolor images. Formerly, they have been converted to palette.

Moving MCrypt to PECL

The MCrypt extension has now been moved out of the core to PECL. Given the mcrypt library has not seen any updates since 2007, its usage is highly discouraged. Instead, either the OpenSSL or Sodium extension should be used.

`session_module_name`

Passing `"user"` to `session_module_name` now raises an error of level `E_RECOVERABLE_ERROR`. Formerly, this has been silently ignored.

□□□ #2
□ □□□ □□□ 2026-10-31 17:34:06 UTC
□ □□□ □□□ 2026-10-31 17:34:08 UTC