drop_tsparser

- Description
- Parameters
- Examples
- Compatibility
- See Also

DROP TEXT SEARCH PARSER

DROP TEXT SEARCH PARSER

7

SQL - Language Statements

DROP TEXT SEARCH PARSER

remove a text search parser

DROP TEXT SEARCH PARSER [IF EXISTS]

name

[CASCADE | RESTRICT]

Description

`DROP TEXT SEARCH PARSER` drops an existing text search parser. You must be a superuser to use this command.

Parameters

`IF EXISTS`
Do not throw an error if the text search parser does not exist. A notice is issued in this case.

<name>
The name (optionally schema-qualified) of an existing text search parser.

`CASCADE`
Automatically drop objects that depend on the text search parser, and in turn all objects that depend on those objects (see ???).

`RESTRICT`
Refuse to drop the text search parser if any objects depend on it. This is the default.

Examples

Remove the text search parser `my_parser`:

```
DROP TEXT SEARCH PARSER my_parser;
```

This command will not succeed if there are any existing text search configurations that use the parser. Add `CASCADE` to drop such configurations along with the parser.

Compatibility

There is no `DROP TEXT SEARCH PARSER` statement in the SQL standard.

See Also

□□□ #2
□ □□□ □□□ 2026-10-31 14:12:04 UTC
□ □□□ □□□ 2026-10-31 14:12:05 UTC