

the_sub_field()



- [Description](#)
 - [Parameters](#)
 - [Examples](#)
 - [Display a value from within a Repeater field.](#)
 - [Display a value from within a Flexible Content field.](#)
 - [Nested loops](#)
-

Description

Displays the value of a specific sub field value from a Repeater or Flexible Content field loop.

This function is essentially the same as `echo get_sub_field()`.

Parameters

```
the_sub_field( $selector, [$format_value] );
```

- `$selector` (*string*) (*Required*) The sub field name or field key.
- `$format_value` (*bool*) (*Optional*) Whether to apply formatting logic. Defaults to true.

Examples

Display a value from within a Repeater field.

This example shows how to loop through a Repeater field and display a sub field value.

```
<?php if( have_rows('todo') ): ?>
    <ul>
        <?php while ( have_rows('todo') ) : the_row(); ?>
            <li><?php the_sub_field('item'); ?></li>
        <?php endwhile; ?>
    </ul>
<?php else : ?>
    <p>No todos found.</p>
<?php endif; ?>
```

Display a value from within a Flexible Content field.

This example shows how to loop through a Flexible Content field and generate HTML for different layouts.

```
<?php if( have_rows('content') ): ?>
    <?php while( have_rows('content') ): the_row(); ?>
        <?php if( get_row_layout() == 'paragraph' ): ?>
            <?php the_sub_field('paragraph'); ?>
        <?php elseif( get_row_layout() == 'quote' ): ?>
            <blockquote>
                <p><?php the_sub_field('quote'); ?></p>
                <footer><?php the_sub_field('author'); ?></footer>
            </blockquote>
        <?php endif; ?>
    <?php endwhile; ?>
<?php endif; ?>
```

Nested loops

This example shows how to loop through a nested Repeater field and display sub field values.

```
<?php

/**
```

```

* Field Structure:
*
* - locations (Repeater)
*   - title (Text)
*   - description (Textarea)
*   - staff_members (Repeater)
*     - image (Image)
*     - name (Text)
*/
if( have_rows('locations') ): ?>
    <div class="locations">
        <?php while( have_rows('locations') ): the_row(); ?>
            <div class="location">
                <h3><?php the_sub_field('title'); ?></h3>
                <p><?php the_sub_field('description'); ?></p>
                <?php if( have_rows('staff_members') ): ?>
                    <ul class="staff-members">
                        <?php while( have_rows('staff_members') ): the_row();
                            $image = get_sub_field('image');
                            ?>
                            <li>
                                <?php echo wp_get_attachment_image( $image['ID'], 'full' ); ?>
                                <h4><?php the_sub_field('name'); ?></h4>
                            </li>
                        <?php endwhile; ?>
                    </ul>
                <?php endif; ?>
            </div>
        <?php endwhile; ?>
    </div>
<?php endif; ?>

```

#1

0 00 00 2026-08-29 15:44:03 UTC

0 00 00 2026-08-29 15:44:03 UTC