

WooCommerce



-  _____
 - 1.  _____
 - 2.  _____
 - 3.  _____
 -  _____
 -  _____
 - 4.  _____
 - 5.  _____
 -  _____
 -  _____
 -  _____
 -  _____
 -  _____
 -  _____
 -  _____
 -  _____
 -  _____   _____
 -  _____
 -  _____
 -  _____
 -  _____

WooCommerce ☐ ☐ ☐ ☐ ☐ ☐

WooCommerce ██████████ ███

alpha [] [] [] [] [] [] [] [] [] []
(alpha)[]

WooCommerce > [] > [] >



1. `WC_Email` - WooCommerce `WC_Email`
2. `woocommerce_email_classes` - WooCommerce `WC_Email`
3. `woocommerce_transactional_emails_for_block_editor` ID `WC_Email`
4. `WC_Email` - WooCommerce `WC_Email`
5. `WC_Email` - `WC_Email`

1. `WC_Email`

`WC_Email` `WC_Email` :

```
class YourPlugin_Custom_Email extends WC_Email {

    public function __construct() {
        $this->id = 'your_plugin_custom_email';
        $this->title = __( 'Custom Email', 'your-plugin' );
        $this->customer_email = true;
        $this->email_group = 'your-plugin';

        $this->template_html = 'emails/your-custom-email.php';
        $this->template_plain = 'emails/plain/your-custom-email.php';
        $this->template_base = plugin_dir_path( __FILE__ ) . 'templates/';

        parent::__construct();
    }

    public function get_default_subject() {
        return __( 'Your custom email subject', 'your-plugin' );
    }

    public function get_default_heading() {
        return __( 'Your custom email heading', 'your-plugin' );
    }
}
```

```

public function trigger( $order_id ) {
    $this->setup_locale();

    if ( $order_id ) {
        $order = wc_get_order( $order_id );
        $this->object = $order;
        $this->recipient = $order->get_billing_email();
    }

    if ( $this->is_enabled() && $this->get_recipient() ) {
        $this->send( $this->get_recipient(), $this->get_subject(), $this->get_content(),
$this->get_headers(), $this->get_attachments() );
    }

    $this->restore_locale();
}

public function get_content_html() {
    return wc_get_template_html( $this->template_html, array(
        'order'          => $this->object,
        'email_heading' => $this->get_heading(),
        'sent_to_admin' => false,
        'plain_text'     => false,
        'email'          => $this,
    ) );
}

public function get_content_plain() {
    return wc_get_template_html( $this->template_plain, array(
        'order'          => $this->object,
        'email_heading' => $this->get_heading(),
        'sent_to_admin' => false,
        'plain_text'     => true,
        'email'          => $this,
    ) );
}
}

```

2. WooCommerce

WooCommerce:

```
// WooCommerce
function your_plugin_add_email_class( $email_classes ) {
    $email_classes['YourPlugin_Custom_Email'] = new YourPlugin_Custom_Email();
    return $email_classes;
}
add_filter( 'woocommerce_email_classes', 'your_plugin_add_email_class' );

// WC_Email email_group
function your_plugin_add_email_group( $email_groups ) {
    $email_groups['your-plugin'] = __( 'Your Plugin', 'your-plugin' );
    return $email_groups;
}
add_filter( 'woocommerce_email_groups', 'your_plugin_add_email_group' );
```

3. WooCommerce

woocommerce_transactional_emails_for_block_editor ID

```
/**
 *
 * @param array $emails ID
 * @return array ID
 */
function your_plugin_register_transactional_emails_for_block_editor( $emails ) {
    $emails[] = 'your_plugin_custom_email';
    return $emails;
}
add_filter( 'woocommerce_transactional_emails_for_block_editor',
    'your_plugin_register_transactional_emails_for_block_editor' );
```

[illegible]

woocommmerce_transactional_emails_for_block_editor

WooCommerce
wc_email_editor_initial_templates_generated

[illegible]


The diagram illustrates three memory locations, each represented by a horizontal row of small squares. The first row contains 16 squares, the second row contains 8 squares, and the third row contains 32 squares. Arrows from each of these rows point to a single text label on the right: 'woocommerce_email_content_post_data'.

--	--	--	--	--	--

🔗	📄
📄📄📄	<code>woocommerce_email_content_post_data</code>
📄📄	10.5.0
📄	<code>\$post_data</code> (array), <code>\$email_type</code> (string), <code>\$email_data</code> (<code>\WC_Email</code>)
📄📄	array

- `$post_data` (*array*) - `wp_insert_post()` `post_type`
`post_status` `post_title` `post_content` `post_excerpt` `post_name` `meta_input`
- `$email_type` (*string*) - 'customer_processing_order'
- `$email_data` (*WC_Email*) - WooCommerce

--	--	--	--

[illegible]

```
/**
 * ████████████████████████████████████
 *
 *
 * @param array      $post_data ████████
 * @param string     $email_type ████████████
 * @param \WC_Email $email_data WooCommerce ████████
```

```

* @return array
*/

function your_plugin_customize_email_template_post( $post_data, $email_type, $email_data ) {
    //
    if ( 'customer_processing_order' === $email_type ) {
        $post_data['post_title'] = __( 'your-plugin', 'your-plugin' );
    }

    // HTML
    $post_data['post_content'] = str_replace(
        'default content',
        'custom content',
        $post_data['post_content']
    );

    //
    $post_data['meta_input']['custom_meta_key'] = 'custom_value';

    return $post_data;
}

add_filter( 'woocommerce_email_content_post_data',
    'your_plugin_customize_email_template_post', 10, 3 );

```

- wp_insert_post() post_title post_content post_excerpt post_status post_name meta_input
- \$post_data
- post_content
- \$email_type

4.

templates/emails/block/your-custom-email.php

\$template_base
 WooCommerce
 block plain

2. `get_block_editor_email_template_content`

```
public function get_block_editor_email_template_content() {  
    return '<!-- wp:paragraph -->  
<p>Your custom block template content here</p>  
<!-- /wp:paragraph -->';  
}
```

`woocommerce_email_general_block_email`

5. `woocommerce_email_general_block_email`

`woocommerce_email_general_block_email` WordPress `woocommerce_email_general_block_email` WooCommerce

```
function your_plugin_trigger_custom_email( $order_id ) {  
    $emails = WC()->mailer()->get_emails();  
    $email = $emails['YourPlugin_Custom_Email'];  
  
    $email->trigger( $order_id );  
}  
  
// WooCommerce woocommerce_email_general_block_email  
add_action( 'woocommerce_order_status_completed', 'your_plugin_trigger_custom_email' );  
  
// woocommerce_email_general_block_email  
add_action( 'your_plugin_custom_action', 'your_plugin_trigger_custom_email' );
```

WooCommerce `woocommerce_email_general_block_email`

- `woocommerce_order_status_completed` - `woocommerce_email_general_block_email`
- `woocommerce_order_status_processing` - `woocommerce_email_general_block_email`
- `woocommerce_new_order` - `woocommerce_email_general_block_email`
- `woocommerce_customer_created` - `woocommerce_email_general_block_email`



□□□□

□□□□□□□□□□

□□□□□□□□

<!--[tag-name]-->

□□□□□□□□□□□□□□□□

□□□□

WooCommerce □□□□□□□□□□□□□□

□□□□

- <!--[woocommerce/customer-email]--> - □□□ Email □□
- <!--[woocommerce/customer-first-name]--> - □□□ □
- <!--[woocommerce/customer-last-name]--> - □□□ □□
- <!--[woocommerce/customer-full-name]--> - □□□ □□
- <!--[woocommerce/customer-username]--> - □□□ □□□
- <!--[woocommerce/customer-country]--> - □□□□

□□□□

- <!--[woocommerce/order-number]--> - □□□
- <!--[woocommerce/order-date]--> - □□□□ (□□□□□□)
- <!--[woocommerce/order-items]--> - □□□□ □□
- <!--[woocommerce/order-subtotal]--> - □□ □□
- <!--[woocommerce/order-tax]--> - □□ □□
- <!--[woocommerce/order-discount]--> - □□ □□ □□
- <!--[woocommerce/order-shipping]--> - □□ □□
- <!--[woocommerce/order-total]--> - □□ □□□
- <!--[woocommerce/order-payment-method]--> - □□□□□□
- <!--[woocommerce/order-payment-url]--> - □□□□□ URL
- <!--[woocommerce/order-transaction-id]--> - □□ ID
- <!--[woocommerce/order-shipping-method]--> - □□□□□□
- <!--[woocommerce/order-shipping-address]--> - □□□□□□□□
- <!--[woocommerce/order-billing-address]--> - □□□□□□□□
- <!--[woocommerce/order-view-url]--> - □□□□□□ URL
- <!--[woocommerce/order-admin-url]--> - □□□□□□ URL
- <!--[woocommerce/order-custom-field]--> - □□□□□□ (□□ key □□)

□□□□

- <!--[woocommerce/site-title]--> - □□□□
- <!--[woocommerce/site-homepage-url]--> - □□ URL

□□□□

- <!--[woocommerce/store-email]--> - □□ Email □□

- <!--[woocommerce/store-url]--> - URL
- <!--[woocommerce/store-name]--> -
- <!--[woocommerce/store-address]--> -
- <!--[woocommerce/my-account-url]--> - " " URL
- <!--[woocommerce/admin-order-note]--> -



WooCommerce

```
/**
 * 
 * @param 
\Automattic\WooCommerce\EmailEditor\Engine\PersonalizationTags\Personalization_Tags_Registry
$registry 
 * @return 
\Automattic\WooCommerce\EmailEditor\Engine\PersonalizationTags\Personalization_Tags_Registry
 */
function your_plugin_register_personalization_tags( $registry ) {
    // 
    $custom_field_tag = new 
\Automattic\WooCommerce\EmailEditor\Engine\PersonalizationTags\Personalization_Tag(
        // 
        __( ' ', 'your-plugin' ),
        // Token ( )
        'your-plugin/custom-field',
        // 
        __( ' ', 'your-plugin' ),
        // 
        'your_plugin_get_custom_field_value',
        // ( )
        array(),
        // ( - token)
        null,
        // 
        array( 'woo_email' )
    );
    $registry->register( $custom_field_tag );
}
```

```
        return $registry;
    }

    // 自定义字段
    function your_plugin_get_custom_field_value( $context, $args = array() ) {
        $order_id = $context['order']->get_id() ?? 0;
        return get_post_meta( $order_id, '_custom_field', true );
    }

    // 添加 WooCommerce 自定义字段
    add_filter( 'woocommerce_email_editor_register_personalization_tags',
        'your_plugin_register_personalization_tags' );
}
```

自定义字段
 <!--[your-plugin/custom-field]-->

woocommerce/email-editor

woocommerce_email_editor_integration_personalizer_context_data

名称	说明
自定义数据	woocommerce_email_editor_integration_personalizer_context_data
版本	10.5.0
参数	\$context (array), \$email (WC_Email)
返回	array

- \$context (array) - 自定义数据
- \$email (WC_Email) - WooCommerce 邮件 ID


```

*
* @param array $context
* @param array $args
* @return string
*/
function your_plugin_get_subscription_end_date( $context, $args = array() ) {
    //
    $end_date = $context['subscription_end_date'] ?? '';

    if ( empty( $end_date ) ) {
        return __( 'N/A', 'your-plugin' );
    }

    //
    return date_i18n( get_option( 'date_format' ), strtotime( $end_date ) );
}

```

-
-
- WooCommerce
- \$email->object WC_Order
 WP_User
- esc_html()
esc_attr() esc_url()

:

```

class YourPlugin_Loyalty_Welcome_Email extends WC_Email {
    public function __construct() {
        $this->id          = 'loyalty_welcome_email';
        $this->title        = __( ' ', 'your-plugin' );
        $this->customer_email = true;
        $this->email_group   = 'loyalty';
    }
}

```

```

$this->template_html = 'emails/loyalty-welcome.php';
$this->template_plain = 'emails/plain/loyalty-welcome.php';
$this->template_block = 'emails/block/loyalty-welcome.php';
$this->template_base = plugin_dir_path( __FILE__ ) . 'templates/';

parent::__construct();
}

public function get_default_subject() {
    return __( '¡¡¡¡¡¡¡¡¡¡¡¡!', 'your-plugin' );
}

public function trigger( $customer_id, $points_earned = 0 ) {
    $this->setup_locale();
    $customer = new WC_Customer( $customer_id );
    $this->object = $customer;
    $this->recipient = $customer->get_email();

    if ( $this->is_enabled() && $this->get_recipient() ) {
        $this->send( $this->get_recipient(), $this->get_subject(), $this->get_content(),
$this->get_headers(), $this->get_attachments() );
    }
    $this->restore_locale();
}

public function get_content_html() {
    return wc_get_template_html( $this->template_html, array(
        'customer'      => $this->object,
        'email_heading' => $this->get_heading(),
        'sent_to_admin' => false,
        'plain_text'    => false,
        'email'         => $this,
    ) );
}

public function get_content_plain() {
    return wc_get_template_html( $this->template_plain, array(
        'customer'      => $this->object,
        'email_heading' => $this->get_heading(),
        'sent_to_admin' => false,

```

```
        'plain_text'    => true,
        'email'         => $this,
    ) );
}
```

```
<!-- wp:heading -->
<h2 class="wp-block-heading"><?php printf( esc_html__( '%% %s!', 'your-plugin' ), '<!--
[woocommerce/customer-first-name]-->' ); ?></h2>

<!-- /wp:heading -->

<!-- wp:paragraph -->
<p><?php esc_html_e( '%%%%%%%%%%!', 'your-plugin' ); ?></p>

<!-- /wp:paragraph -->

<!-- wp:woocommerce/email-content {"lock":{"move":false,"remove":true}} -->
<div class="wp-block-woocommerce-email-content"><?php echo esc_html(
BlockEmailRenderer::WOO_EMAIL_CONTENT_PLACEHOLDER ); ?></div>

<!-- /wp:woocommerce/email-content -->
```

[illegible][illegible]

 11

1.   **WooCommerce** >  >  
2.   WooCommerce 
3.  
4.  

1. `woocommerce_email_classes`: WooCommerce
`woocommerce_email_groups`: WooCommerce
`woocommerce_transactional_emails_for_block_editor`
 2. `Email Template`: Templates

- ☐ Settings ☐ Email Template ☐ Auto ☐

3. ☐ :

- ☐ Settings ☐ Enable ☐
- ☐ Allow ☐ Register ☐ Join ☐
- ☐ Welcome ☐ Setup ☐

4. ☐ :

- ☐ Send ☐ Mail ☐
- ☐ Auto ☐ Edit ☐

☐

```
// Add the custom email class to the WooCommerce Emails.
add_filter( 'woocommerce_email_classes', function( $classes ) {
    $classes['YourPlugin_Loyalty_Welcome_Email'] = new YourPlugin_Loyalty_Welcome_Email();
    return $classes;
} );

// Add the custom email group.
add_filter( 'woocommerce_email_groups', function( $email_groups ) {
    $email_groups['loyalty'] = __( 'Loyalty Program', 'your-plugin' );
    return $email_groups;
} );

// Register the email with the block editor.
add_filter( 'woocommerce_transactional_emails_for_block_editor', function( $emails ) {
    $emails[] = 'loyalty_welcome_email';
    return $emails;
} );

// Set up trigger - when to send the email
add_action( 'your_plugin_customer_joined_loyalty', function( $customer_id, $points_earned ) {
    $emails = WC()->mailer()->get_emails();
    $email = $emails['YourPlugin_Loyalty_Welcome_Email'];

    $email->trigger( $customer_id, $points_earned );
}, 10, 2 );
```

☐

- ☐ Settings ☐ Email registration ☐
- ☐ Block editor registration ☐
- ☐ Trigger setup ☐

- ☐ **Edit** ☐☐☐☐☐ ☐☐☐☐☐ Email Template ☐☐☐☐☐☐ Templates ☐☐

--	--	--	--	--

- `new` `Class`
- `edit` `Email Template`
- `lock` `Settings`
- `and` `WooCommerce`

--	--	--	--

-
- | Service | Score (out of 100) |
|-------------|--------------------|
| Proton Mail | 100 |
| Nextcloud | 95 |
| Mailbox.org | 85 |
| Mailbox.org | 75 |
| Mailbox.org | 65 |
| Mailbox.org | 55 |
| Mailbox.org | 45 |
| Mailbox.org | 35 |
| Mailbox.org | 25 |
| Mailbox.org | 15 |
| Mailbox.org | 5 |
| Mailbox.org | 0 |
- Legend: Litmus, Gmail, Outlook, Apple Mail

--	--	--	--

-
- The diagram illustrates the relationship between WooCommerce email classes and transactional emails for the block editor. It consists of three main parts:
- woocommerce_email_classes**: A list of email classes, each represented by a box containing a list of email IDs.
 - `woocommerce_email_classes` (List of email IDs)
 - `woocommerce_email_classes` (List of email IDs)
 - `woocommerce_email_classes` (List of email IDs)
 - woocommerce_transactional_emails_for_block_editor**: A list of transactional emails, each represented by a box containing a list of email IDs.
 - `woocommerce_transactional_emails_for_block_editor` (List of email IDs)
 - `woocommerce_transactional_emails_for_block_editor` (List of email IDs)
 - `woocommerce_transactional_emails_for_block_editor` (List of email IDs)
 - WooCommerce**: A list of WooCommerce email classes, each represented by a box containing a list of email IDs.
 - `WooCommerce` (List of email IDs)
 - `WooCommerce` (List of email IDs)
 - `WooCommerce` (List of email IDs)
- The diagram shows that the `woocommerce_email_classes` and `woocommerce_transactional_emails_for_block_editor` lists are mapped to the `WooCommerce` list. The mapping is done by matching the email IDs in the first two lists to the email IDs in the `WooCommerce` list.

□□□ #2

2026-03-09 11:53:58 UTC

2026-03-09 11:53:58 UTC