

Windfonts



[Windfonts](#) [API](#) [Developer docs & API](#)

- [Windfonts](#) [API](#)

Windfonts API



Windfonts web fonts



POST https://app.windfonts.com/api/fonts/list




Body			
pageData	object {page:number,size:number}		
tags	string		
category	string		
keyword	string		

“ ” : .



```
{
  "pageData": {
```

```
    "page": 1,
    "size": 5
  }
}
```



Field	Type	Example
code	string	12345
message	number	123456789
data	object	{ "key": "value" }

data

Field	Type	Example
dataList	array	[1, 2, 3, 4, 5]
page	number	123456789
pageTotal	number	123
total	number	1234

dataList

Field	Type	Example
id	string	123 id
name	string	12345
fontFamily	string	font-family - font-family css
fontSubfamily	string	font-weight - font-weight css
version	string	123
copyright	string	1234
description	string	1234

属性名	属性型	属性値
designer	string	文字列
license	string	文字列
tags	string	文字列
languages	string	文字列
category	string	文字列
created_at	string	文字列
updated_at	string	文字列

XXXXXXXXXXXX

```
{
  "code": 200,
  "data": {
    "page": "number",
    "total": "number",
    "pageTotal": "number",
    "dataList": [
      {
        "name": "string",
        "fontFamily": "string",
        "fontSubfamily": ["string"],
        "version": "string",
        "copyright": "string",
        "description": "string",
        "designer": "string",
        "license": "string | null",
        "category": "string",
        "tags": "string",
        "languages": "string",
        "id": "string",
        "created_at": "date",
        "updated_at": "date"
      }
    ]
  },
  "message": "success"
}
```