

wp super-admin add

1

- [wp super-admin add](#)
- [wp super-admin add](#)
- [wp super-admin add](#)

wp super-admin add

wp super-admin add

wp super-admin add [wp super-admin add](#) wp super-admin add

<user>... : wp super-admin add ID wp super-admin add

wp super-admin add

```
# wp super-admin add
$ wp super-admin add superadmin2
wp super-admin add 1 wp super-admin add
```

wp super-admin add

wp [wp super-admin add](#) WP-CLI wp WordPress wp super-admin add

wp	wp
--path=<path>	WordPress wp super-admin add
--url=<url>	wp super-admin add URL wp super-admin add
--ssh=[<scheme>:][<user>@]<host container>[:<port>][<path>]	wp SSH wp super-admin add "docker" wp "docker-compose" wp "docker-compose-run" wp "vagrant" wp super-admin add
--http=<http>	wp HTTP wp WordPress wp super-admin add

Options	Default
--user=<id login email>	WordPress user
--skip-plugins[=<plugins>]	WordPress mu-plugins
--skip-themes[=<themes>]	WordPress themes
--skip-packages	WordPress packages
--require=<path>	PHP dependencies
--exec=<php-code>	PHP code
--context=<context>	WordPress context
--[no-]color	Color
--debug[=<group>]	PHP, WP-CLI, bootstrap, commandfactory, help
--prompt[=<assoc>]	Prompt
--quiet	Quiet