

WP_CLI\Utils\esc_like()



- [Usage](#)
 - [Notes](#)
 - [Related](#)
-

First half of escaping for LIKE special characters % and _ before preparing for MySQL.

Usage

```
WP_CLI\Utils\esc_like( $text )
```

\$text (string) The raw text to be escaped. The input typed by the user should have no extra or deleted slashes.

@return (string) in the form of a LIKE phrase. The output is not SQL safe. Call \$wpdb::prepare()
 or real_escape next.

Notes

Use this only before \$wpdb::prepare() or esc_sql(). Reversing the order is very bad for security.

Copied from core "wp-includes/wp-db.php". Avoids dependency on WP 4.4 \$wpdb.

Internal API documentation is generated from the WP-CLI codebase on every release. To suggest improvements, please submit a pull request.

Related

- [WP_CLI\Utils\write_csv\(\)](#) - Write data as CSV to a given file.

- [WP_CLI\Utils\http_request\(\)](#) - Make a HTTP request to a remote URL.
 - [WP_CLI\Utils\get_named_sem_ver\(\)](#) - Compare two version strings to get the named semantic version.
 - [WP_CLI\Utils\parse_ssh_url\(\)](#) - Parse a SSH url for its host, port, and path.
 - [WP_CLI\Utils\basename\(\)](#) - Locale-independent version of basename()
 - [WP_CLI\Utils\isPiped\(\)](#) - Checks whether the output of the current script is a TTY or a pipe / redirect
 - [WP_CLI\Utils\proc_open_compat\(\)](#) - Windows compatible ``proc_open()``. Works around bug in PHP, and also deals with *nix-like ``ENV_VAR=blah cmd`` environment variable prefixes.
-

☐☐ #1

☐ cocobook-sync ☐☐ 2026-10-28 11:41:00 UTC

☐ cocobook-sync ☐☐ 2026-10-28 11:41:00 UTC