WP_CLI\Utils\get_named_sem_ver()

- Usage
- Related

Compare two version strings to get the named semantic version.

Usage

```
WP_CLI\Utils\get_named_sem_ver( $new_version, $original_version )
```

$new_version (string)
$original_version (string)
@return (string) 'minor', 'patch'

Internal API documentation is generated from the WP-CLI codebase on every release. To suggest improvements, please submit a pull request.

Related

- **WP_CLI\Utils\write_csv()** - Write data as CSV to a given file.
- **WP_CLI\Utils\http_request()** - Make a HTTP request to a remote URL.
- **WP_CLI\Utils\parse_ssh_url()** - Parse a SSH url for its host, port, and path.
- **WP_CLI\Utils\basename()** - Locale-independent version of basename()
- **WP_CLI\Utils\isPiped()** - Checks whether the output of the current script is a TTY or a pipe / redirect
- **WP_CLI\Utils\proc_open_compat()** - Windows compatible `proc_open()`. Works around bug in PHP, and also deals with *nix-like `ENV_VAR=blah cmd` environment variable

prefixes.

- **WP_CLI\Utils\esc_like()** - First half of escaping for LIKE special characters % and _ before preparing for MySQL.

□□□ #1

□ cocobook-sync □□□ 2026-10-28 11:41:06 UTC

□ cocobook-sync □□□ 2026-10-28 11:41:06 UTC