Details

- Attributes
- Supports
- Block Markup
- Source

Hide and show additional content.

- **Name:** `core/details`
- **Category:** text
- **API Version:** 3
- **Block Type:** Hybrid (static save + server enhancements)
- **Keywords:** `summary`, `toggle`, `disclosure`

Attributes

Defined via the `attributes` property in block.json.

Attribute	Type	Default	Description
`showContent`	`boolean`	`false`	—
`summary`	`rich-text`	—	Source: `rich-text`. Selector: `summary`. Role: `content`
`name`	`string`	—	Source: `attribute`. Selector: `.wp-block-details`. HTML attr: `name`
`placeholder`	`string`	—	—

Supports

Defined via the `supports` property in block.json.

- `align`: `"wide"`, `"full"`
- `anchor`: `true`
- `background`:
  - `backgroundImage`: `true`
  - `backgroundSize`: `true`
  - `gradient`: `true`
- `color`:
  - `gradients`: `true`
  - `link`: `true`
  - `heading`: `true`
  - `button`: `true`
- `html`: `false`
- `shadow`: `true`
- `spacing`:
  - `margin`: `true`
  - `padding`: `true`
  - `blockGap`: `true`
- `dimensions`:
  - `minWidth`: `true`
- `typography`:
  - `fontSize`: `true`
  - `lineHeight`: `true`
- `layout`:
  - `allowEditing`: `false`
- `interactivity`:
  - `clientNavigation`: `true`
- `allowedBlocks`: `true`

Block Markup

This is a **hybrid block**. It saves static markup that the server may enhance during rendering.

```
<!-- wp:details {"summary":"Details Summary"} -->
<details class="wp-block-details"><summary>Details Summary</summary>
    <!-- wp:paragraph {"placeholder":"Type / to add a hidden block"} -->
    <p>Details Content</p>
```

```
    <!-- /wp:paragraph -->
</details>
<!-- /wp:details -->
```

Source

- block.json (reference)
- Source directory — browse the `edit` and `save` source files, `index.php`, and more.

□□□ #2
□ □□□ □□□ 2026-10-31 18:31:01 UTC
□ □□□ □□□ 2026-10-31 18:31:03 UTC