Folder Structure

The following snippet explains how the Gutenberg repository is structured omitting irrelevant or obvious items with further explanations:

```
│
├── LICENSE
├── README.md
├── SECURITY.md
├── CONTRIBUTING.md
│
├── .editorconfig
├── eslint.config.mjs
├── .jshintignore
├── prettier.config.mjs
├── .stylelintignore
├── .stylelintrc.js
├── .markdownlintignore
├── .npmpackagejsonlintrc.json
├── phpcs.xml.dist
│   Dot files and config files used to configure the various linting tools
│   used in the repository (PHP, JS, styles...).
│
├── .browserslistrc
├── jsconfig.json
├── tsconfig.json
├── tsconfig.build.json
├── webpack.config.js
│   Transpilation and bundling Config files.
│
├── .wp-env.json
│   Config file for the development and testing environment.
│   Includes WordPress and the Gutenberg plugin.
│
├── composer.lock
├── composer.json
│   Handling of PHP dependencies. Essentially used for development tools.
│   The production code don't use external PHP dependencies.
```

```
|
├── package-lock.json
├── package.json
|   Handling of JavaScript dependencies. Both for development tools and
|   production dependencies.
|   The package.json also serves to define common tasks and scripts
|   used for day to day development.
|
├── changelog.txt
├── readme.txt
|   Readme and Changelog of the Gutenberg plugin hosted on the WordPress
|   plugin repository.
|
├── gutenberg.php
|   Entry point of the Gutenberg plugin.
|
├── .github/*
|   Config of the different GitHub features (issues and PR templates, CI, owners).
|
├── tools/docs
|   Tools for generating Gutenberg documentation (manifest generator, API docs, block library
list, component docs, theme reference).
|
├── tools/build-scripts
|   Build orchestration scripts for the Gutenberg monorepo (@wordpress/build-scripts).
|
├── tools/release
|   CLI tool used to perform the Gutenberg plugin release and the npm releases as well.
|
├── docs/*.md
|   Set of documentation pages composing the [Block editor
handbook](https://developer.wordpress.org/block-editor/).
|
├── lib
|   PHP Source code of the Gutenberg plugin.
|
├── lib/compat/wordpress-x.x
|   PHP code that was included in WordPress on the WordPress X.X version.
|   It is kept to ensure plugin compatibility with older WordPress versions.
|
├── packages
```

```
│   Source code of the WordPress packages.
│   Packages can be:
│    - Production JavaScript scripts and styles loaded on WordPress
│      and the Gutenberg plugin or distributed as npm packages.
│    - Development tools available on npm.
│
├── packages/{packageName}/package.json
│   Dependencies of the current package.
│
├── packages/{packageName}/CHANGELOG.md
├── packages/{packageName}/README.md
│
├── packages/{packageName}/src/**/*.js
├── packages/{packageName}/src/**/*.scss
│   Source code of a given package.
│
├── packages/{packageName}/src/**/*.test.js
│   JavaScript unit tests.
│
├── packages/{packageName}/src/**/{ComponentName}/index.js
│   Entry point of a given component.
│
├── packages/{packageName}/src/**/{ComponentName}/style.scss
│   Style entry point for a given component.
│
├── packages/{packageName}/src/**/{ComponentName}/stories/*.jsx
│   Component Stories to load on the Gutenberg storybook.
│
├── phpunit
│   Unit tests for the PHP code of the Gutenberg plugin.
│
├── storybook
│   Config of the [Gutenberg Storybook](https://wordpress.github.io/gutenberg/).
│
├── test/integration
│   Set of WordPress packages integration tests.
│
├── test/native
│   Configuration for the Gutenberg Mobile unit tests.
│
├── test/unit
```

```
│   Configuration for the Packages unit tests.
│
├── test/e2e
│   End-2-end tests of the Gutenberg plugin.
│
├── test/performance
│   Performance metrics. Results are tracked on the [Gutenberg performance
dashboard](https://codevitals.run/project/gutenberg).
│
├── tools/eslint
│   Configuration files for the ESLint linter.
│
├── tools/webpack
│   Configuration files for the webpack build.
```

□□□ #2
□ □□□ □□□ 2026-10-31 18:24:51 UTC
□ □□□ □□□ 2026-10-31 18:24:53 UTC