

Image



- [Attributes](#)
- [Supports](#)
- [Context](#)
- [Block Styles](#)
- [CSS Selectors](#)
- [Block Markup](#)
- [Source](#)

Insert an image to make a visual statement.

- **Name:** `core/image`
- **Category:** [media](#)
- **API Version:** [3](#)
- **Block Type:** [Hybrid](#) (static save + server enhancements)
- **Keywords:** `img`, `photo`, `picture`

Attributes

Defined via the `attributes` property in `block.json`.

Attribute	Type	Default	Description
<code>blob</code>	<code>string</code>	—	Role: <code>local</code>
<code>url</code>	<code>string</code>	—	Source: <code>attribute</code> . Selector : <code>img</code> . HTML attr: <code>src</code> . Role: <code>content</code>

Attribute	Type	Default	Description
alt	string	""	Source: attribute. Selector: img. HTML attr: alt. Role: content
caption	rich-text	—	Source: rich-text. Selector: figcaption. Role: content
lightbox	object	—	—
title	string	—	Source: attribute. Selector: img. HTML attr: title. Role: content
href	string	—	Source: attribute. Selector: figure > a. HTML attr: href. Role: content
rel	string	—	Source: attribute. Selector: figure > a. HTML attr: rel
linkClass	string	—	Source: attribute. Selector: figure > a. HTML attr: class
id	number	—	Role: content
width	string	—	—
height	string	—	—
aspectRatio	string	—	—
scale	string	—	—
focalPoint	object	—	—
sizeSlug	string	—	—
linkDestination	string	—	—
linkTarget	string	—	Source: attribute. Selector: figure > a. HTML attr: target
isDecorative	boolean	false	—

Supports

Defined via the `supports` property in `block.json`.

- `interactivity`: `true`
- `align`: `"left"`, `"center"`, `"right"`, `"wide"`, `"full"`
- `anchor`: `true`
- `color`:
 - `text`: `false`
 - `background`: `false`
- `filter`:
 - `duotone`: `true`
- `spacing`:
 - `margin`: `true`
- `shadow`: `true`

Context

Defined via the `usesContext` and `providesContext` properties in `block.json`.

Uses context:

- `allowResize`
- `imageCrop`
- `fixedHeight`
- `navigationButtonType`
- `postId`
- `postType`
- `queryId`
- `galleryId`

Block Styles

Defined via the `styles` property in `block.json`.

Style Name	Label	Default
<code>default</code>	Default	Yes
<code>rounded</code>	Rounded	No

CSS Selectors

Defined via the `selectors` property in `block.json`.

- **dimensions:** `.wp-block-image img, .wp-block-image .components-placeholder`
- **border:** `.wp-block-image img, .wp-block-image .wp-block-image__crop-area, .wp-block-image .components-placeholder`
- **shadow:** `.wp-block-image img, .wp-block-image .wp-block-image__crop-area, .wp-block-image .components-placeholder`
- **filter:**
 - **duotone:** `.wp-block-image img, .wp-block-image .components-placeholder`

Block Markup

This is a [hybrid block](#). It saves static markup that the server may enhance during rendering.

```
<!-- wp:core/image -->
<figure class="wp-block-image"></figure>
<!-- /wp:core/image -->
```

Source

- [block.json](#) ([reference](#))
- [Source directory](#) — browse the `edit` and `save` source files, `index.php`, and more.

📄 #2

📄	📄	📄	2026-10-31 18:30:45 UTC
📄	📄	📄	2026-10-31 18:30:46 UTC