Paragraph

- Attributes
- Supports
- CSS Selectors
- Block Markup
- Source

Start with the basic building block of all narrative.

- **Name:** `core/paragraph`
- **Category:** text
- **API Version:** 3
- **Block Type:** Hybrid (static save + server enhancements)
- **Keywords:** `text`

Attributes

Defined via the `attributes` property in block.json.

Attribute	Type	Default	Description
`content`	`rich-text`	—	Source: `rich-text`. Selector: `p`. Role: `content`
`dropCap`	`boolean`	`false`	—
`placeholder`	`string`	—	—
`direction`	`string`	—	Enum: `ltr`, `rtl`

Supports

Defined via the `supports` property in block.json.

- `align`: `"wide"`, `"full"`
- `splitting`: `true`
- `anchor`: `true`
- `className`: `false`
- `background`:
  - `backgroundClip`: `true`
  - `backgroundImage`: `true`
  - `backgroundSize`: `true`
  - `gradient`: `true`
- `shadow`: `true`
- `color`:
  - `gradients`: `true`
  - `link`: `true`
- `dimensions`:
  - `minHeight`: `true`
  - `minWidth`: `true`
- `spacing`:
  - `margin`: `true`
  - `padding`: `true`
- `typography`:
  - `fontSize`: `true`
  - `lineHeight`: `true`
  - `textAlign`: `true`
  - `textColumns`: `true`
  - `textIndent`: `true`
  - `textShadow`: `true`
  - `fitText`: `true`
- `interactivity`:
  - `clientNavigation`: `true`

CSS Selectors

Defined via the `selectors` property in block.json.

- **root**: `p`
- **typography**:
  - textIndent: `.wp-block-paragraph + .wp-block-paragraph`

Block Markup

This is a **hybrid block**. It saves static markup that the server may enhance during rendering.

```
<!-- wp:paragraph {"dropCap":false} -->
<!-- Content... -->
<!-- /wp:paragraph -->
```

Source

- block.json (reference)
- Source directory — browse the `edit` and `save` source files, `index.php`, and more.

□□□ #2
□ □□□ □□□ 2026-10-31 18:31:19 UTC
□ □□□ □□□ 2026-10-31 18:31:20 UTC