Spacer

- Usage
- Props
  - children: ReactNode
  - margin: number
  - marginBottom: number
  - marginLeft: number
  - marginRight: number
  - marginTop: number
  - marginX: number
  - marginY: number
  - padding: number
  - paddingBottom: number
  - paddingLeft: number
  - paddingRight: number
  - paddingTop: number
  - paddingX: number
  - paddingY: number

This feature is still experimental. “Experimental” means this is an early implementation subject to drastic and breaking changes.

`Spacer` is a primitive layout component that providers inner (`padding`) or outer (`margin`) space in-between components. It can also be used to adaptively provide space within an `HStack` or `VStack`.

Usage

`Spacer` comes with a bunch of shorthand props to adjust `margin` and `padding`. The values of these props work as a multiplier to the library’s grid system (base of `4px`).

```
import {
    __experimentalSpacer as Spacer,
    __experimentalHeading as Heading,
    __experimentalView as View,
} from '@wordpress/components';

function Example() {
    return (
        <View>
            <Spacer>
                <Heading>WordPress.org</Heading>
            </Spacer>
            <Text>Code is Poetry</Text>
        </View>
    );
}
```

Props

`children`: `ReactNode`

The children elements.

- Required: No

`margin`: `number`

Adjusts all margins.

- Required: No

`marginBottom`: `number`

Adjusts bottom margin, potentially overriding the value from the more generic `margin` and `marginY` props.

- Required: No

- Default: `2`

`marginLeft`: `number`

Adjusts left margin, potentially overriding the value from the more generic `margin` and `marginX` props.

- Required: No

`marginRight`: `number`

Adjusts right margin, potentially overriding the value from the more generic `margin` and `marginX` props.

- Required: No

`marginTop`: `number`

Adjusts top margin, potentially overriding the value from the more generic `margin` and `marginY` props.

- Required: No

`marginX`: `number`

Adjusts left and right margins, potentially overriding the value from the more generic `margin` prop.

- Required: No

`marginY`: `number`

Adjusts top and bottom margins, potentially overriding the value from the more generic `margin` prop.

- Required: No

`padding`: `number`

Adjusts all padding.

- Required: No

`paddingBottom`: `number`

Adjusts bottom padding, potentially overriding the value from the more generic `padding` and `paddingY` props.

- Required: No

`paddingLeft`: `number`

Adjusts left padding, potentially overriding the value from the more generic `padding` and `paddingX` props.

- Required: No

`paddingRight`: `number`

Adjusts right padding, potentially overriding the value from the more generic `padding` and `paddingX` props.

- Required: No

`paddingTop`: `number`

Adjusts top padding, potentially overriding the value from the more generic `padding` and `paddingY` props.

- Required: No

`paddingX`: `number`

Adjusts left and right padding, potentially overriding the value from the more generic `padding` prop.

- Required: No

`paddingY`: `number`

Adjusts top and bottom padding, potentially overriding the value from the more generic `padding` prop.

- Required: No

□□□ #2
□ □□□ □□□ 2026-10-31 18:15:46 UTC
□ □□□ □□□ 2026-10-31 18:15:48 UTC