Term Template

- Block Relationships
- Attributes
- Supports
- Context
- Block Markup
- Source

Contains the block elements used to render a taxonomy term, like the name, description, and more.

- **Name:** `core/term-template`
- **Category:** theme
- **API Version:** 3
- **Block Type:** Hybrid (static save + server enhancements)

Block Relationships

Ancestor blocks:
– `core/terms-query`

Attributes

Defined via the `attributes` property in block.json.

This block has no custom attributes.

Supports

Defined via the `supports` property in block.json.

- `anchor`: `true`
- `reusable`: `false`
- `html`: `false`
- `align`: `"wide"`, `"full"`
- `layout`: `true`
- `background`:
  - `backgroundImage`: `true`
  - `backgroundSize`: `true`
  - `gradient`: `true`
- `color`:
  - `gradients`: `true`
  - `link`: `true`
  - `heading`: `true`
  - `button`: `true`
- `typography`:
  - `fontSize`: `true`
  - `lineHeight`: `true`
- `dimensions`:
  - `minHeight`: `true`
  - `minWidth`: `true`
- `spacing`:
  - `margin`: `true`
  - `padding`: `true`
  - `blockGap`: `{"__experimentalDefault":"1.25em"}`
- `interactivity`:
  - `clientNavigation`: `true`
- `shadow`: `true`

Context

Defined via the `usesContext` and `providesContext` properties in block.json.

Uses context:

- `termQuery`

Block Markup

This is a **hybrid block**. It saves static markup that the server may enhance during rendering.

```
<!-- wp:term-template /-->
```

Source

- block.json (reference)
- Source directory — browse the `edit` and `save` source files, `index.php`, and more.

□□□ #2
□ □□□ □□□ 2026-10-31 18:33:47 UTC
□ □□□ □□□ 2026-10-31 18:33:49 UTC