Tooltip

- Usage
  - Nested tooltips
- Props
  - children: React.ReactElement
  - delay: number
  - hideOnClick: boolean
  - placement: 'top' | 'top-start' | 'top-end' | 'right' | 'right-start' | 'right-end' | 'bottom' | 'bot
  - position: string
  - shortcut: string | object
  - text: string

This component is deprecated. Use `Tooltip` from `@wordpress/ui` instead.

Tooltip is a React component to render floating help text relative to a node when it receives focus or it is hovered upon by a mouse. If the tooltip exceeds the bounds of the page in the direction it opens, its position will be flipped automatically.

Usage

Render a Tooltip, passing as a child the element to which it should anchor:

```
import { Tooltip } from '@wordpress/components';

const MyTooltip = () => (
    <Tooltip text="More information">
        <div>Hover for more information</div>
    </Tooltip>
);
```

Nested tooltips

In case one or more `Tooltip` components are rendered inside another `Tooltip` component, only the tooltip associated to the outermost `Tooltip` component will be rendered in the browser and shown to the user appropriately. The rest of the nested `Tooltip` components will simply no-op and pass-through their anchor.

Props

The component accepts the following props:

`children`: `React.ReactElement`

The element to which the tooltip should anchor.

NOTE: Accepts only one child element.

- Required: Yes

`delay`: `number`

The amount of time in milliseconds to wait before showing the tooltip.

- Required: No
- Default: `700`

`hideOnClick`: `boolean`

Option to hide the tooltip when the anchor is clicked.

- Required: No
- Default: `true`

`placement`: `'top' | 'top-start' | 'top-end' | 'right' | 'right-start' | 'right-end' | 'bottom' | 'bottom-start' | 'bottom-end' | 'left' | 'left-start' | 'left-end'`

Used to specify the tooltip's placement with respect to its anchor.

- Required: No
- Default: `'top'`

`position`: `string`

Note: use the `placement` prop instead when possible.

Legacy way to specify the popover's position with respect to its anchor. Specify y- and x-axis as a space-separated string. Supports `'top'`, `'middle'`, `'bottom'` y axis, and `'left'`, `'center'`, `'right'` x axis.

- Required: No
- Default: `'top'`

`shortcut`: `string` | `object`

An option for adding accessible keyboard shortcuts.

If shortcut is a string, it is expecting the display text. If shortcut is an object, it will accept the properties of `display`: `string` and `ariaLabel`: `string`.

- Required: No

`text`: `string`

The text shown in the tooltip when anchor element is focused or hovered.

- Required: No

□□□ #2
□ □□□ □□□ 2026-10-31 18:15:15 UTC
□ □□□ □□□ 2026-10-31 18:15:16 UTC