0077-actions-graphql-post-object-mutation-set-object-terms

- title: graphql_post_object_mutation_set_object_terms hookType: action hookGroup: models plugin: wp-g
- graphql_post_object_mutation_set_object_terms
  - Parameters
  - Source
  - Related

title: graphql_post_object_mutation_set_object_terms hookType: action hookGroup: models plugin: wp-graphql

graphql_post_object_mutation_set_object_terms

```
do_action( 'graphql_post_object_mutation_set_object_terms', $post_id, $input,
$post_type_object, $mutation_name );
```

Fire an action before setting object terms during a GraphQL Post Object Mutation. One example use for this hook would be to create terms from the input that may not exist yet, so that they can be set as a relation below.

- **Type:** action
- **Group:** Model Layer
- **Since:** 0.0.5
- **Source File:** `plugins/wp-graphql/src/Data/PostObjectMutation.php`

Parameters

- `$post_id` (`int`): The ID of the postObject being mutated
- `$input` (`array<string,mixed>`): The input for the mutation
- `$post_type_object` (`\WP_Post_Type`): The Post Type Object for the type of post being mutated
- `$mutation_name` (`string`): The name of the mutation (ex: create, update, delete)

Source

- `plugins/wp-graphql/src/Data/PostObjectMutation.php:250`


```
do_action( 'graphql_post_object_mutation_set_object_terms', $post_id, $input,
$post_type_object, $mutation_name );
```


Related

- `PostObjectMutation::set_object_terms()` in `plugins/wp-graphql/src/Data/PostObjectMutation.php:250`

□□□ #2
□ □□□ □□□ 2026-08-29 15:36:26 UTC
□ □□□ □□□ 2026-08-29 15:36:26 UTC