Types

- Schema
- Retrieve a Type
- Retrieve a Type

Schema

The schema defines all the fields that exist within a type record. Any response from these endpoints can be expected to contain the fields below unless the `_filter` query parameter is used or the schema field only appears in a specific context.

`capabilities`	All capabilities used by the post type. JSON data type: object Read only Context: `edit`
`description`	A human-readable description of the post type. JSON data type: string Read only Context: `view`, `edit`
`hierarchical`	Whether or not the post type should have children. JSON data type: boolean Read only Context: `view`, `edit`
`viewable`	Whether or not the post type can be viewed. JSON data type: boolean Read only Context: `edit`
`labels`	Human-readable labels for the post type for various contexts. JSON data type: object Read only Context: `edit`
`name`	The title for the post type. JSON data type: string Read only Context: `view`, `edit`, `embed`

`slug`	An alphanumeric identifier for the post type. JSON data type: string Read only Context: `view`, `edit`, `embed`
`supports`	All features, supported by the post type. JSON data type: object Read only Context: `edit`
`has_archive`	If the value is a string, the value will be used as the archive slug. If the value is false the post type has no archive. JSON data type: string or boolean Read only Context: `view`, `edit`
`taxonomies`	Taxonomies associated with post type. JSON data type: array Read only Context: `view`, `edit`
`rest_base`	REST base route for the post type. JSON data type: string Read only Context: `view`, `edit`, `embed`
`rest_namespace`	REST route's namespace for the post type. JSON data type: string Read only Context: `view`, `edit`, `embed`
`visibility`	The visibility settings for the post type. JSON data type: object Read only Context: `edit`
`icon`	The icon for the post type. JSON data type: string or null Read only Context: `view`, `edit`, `embed`

```
</div>
```

Retrieve a Type

```
<h3>Definition & Example Request</h3>

<code>GET /wp/v2/types</code>
```

```
□<p>Query this endpoint to retrieve a specific type record.</p>

□<code>$ curl https://example.com/wp-json/wp/v2/types</code>
</div>
<div class="secondary">
□□<h3>Arguments</h3>
<table class="arguments">
□□□□<tr>
□□□<td>
□□□□□□□□□□<code>context</code><br />
□□□□□□□□□</td>
□□□<td>
□□□□□□□□□□<p>Scope under which the request is made; determines fields present in response.</p>
□□□□□□□□□□□□□□□□□□□□□□□□<p class="default">
□□□□□□□Default: <code>view</code>
□□□□□□</p>
□□□□□□□□□□□□□□□□□<p>One of: <code>view</code>, <code>embed</code>, <code>edit</code></p>
□□□□□□□□□</td>
□□</tr>
□□</table>

</div>
```

Retrieve a Type

```
□<h3>Definition & Example Request</h3>

□<code>GET /wp/v2/types/&amp;lt;type&amp;gt;</code>

□<p>Query this endpoint to retrieve a specific type record.</p>

□<code>$ curl https://example.com/wp-json/wp/v2/types/&amp;lt;type&amp;gt;</code>
</div>
<div class="secondary">
□□<h3>Arguments</h3>
<table class="arguments">
□□□□<tr>
```

<td>
<code>type</code>
</td>
<td>
An alphanumeric identifier for the post type.
</td>
</tr>
<tr>
<td>
<code>context</code>
</td>
<td>
Scope under which the request is made; determines fields present in response.

Default: <code>view</code>

One of: <code>view</code>, <code>embed</code>, <code>edit</code>
</td>
</tr>
</table>

版本号 #2
由 壳壳虫 创建于 2026-08-29 15:39:08 UTC
由 壳壳虫 更新于 2026-08-29 15:39:08 UTC