Pattern Directory Items

- Schema
- List Pattern Directory Items

Schema

The schema defines all the fields that exist within a pattern directory item record. Any response from these endpoints can be expected to contain the fields below unless the `_filter` query parameter is used or the schema field only appears in a specific context.

`id`	The pattern ID. JSON data type: integer Context: `view`, `edit`, `embed`
`title`	The pattern title, in human readable format. JSON data type: string Context: `view`, `edit`, `embed`
`content`	The pattern content. JSON data type: string Context: `view`, `edit`, `embed`
`categories`	The pattern's category slugs. JSON data type: array Context: `view`, `edit`, `embed`
`keywords`	The pattern's keywords. JSON data type: array Context: `view`, `edit`, `embed`
`description`	A description of the pattern. JSON data type: string Context: `view`, `edit`, `embed`
`viewport_width`	The preferred width of the viewport when previewing a pattern, in pixels. JSON data type: integer Context: `view`, `edit`, `embed`
`block_types`	The block types which can use this pattern. JSON data type: array Context: `view`, `embed`

```
</div>
```

List Pattern Directory Items

Query this endpoint to retrieve a collection of pattern directory items. The response you receive can be controlled and filtered using the URL query parameters below.

```
<h3>Definition</h3>

<code>GET /wp/v2/pattern-directory/patterns</code>

<h3>Example Request</h3>

<code>$ curl https://example.com/wp-json/wp/v2/pattern-directory/patterns</code>
</div>
<div class="secondary">
<h3>Arguments</h3>
<table class="arguments">
<tr>
<td>
<code>context</code><br />
</td>
<td>
<p>Scope under which the request is made; determines fields present in response.</p>
<p class="default">
Default: <code>view</code>
</p>
<p>One of: <code>view</code>, <code>embed</code>, <code>edit</code></p>
</td>
</tr>
<tr>
<td>
<code>page</code><br />
</td>
<td>
<p>Current page of the collection.</p>
<p class="default">
Default: <code>1</code>
```

□□□□□
□□□□□□□□□□□□□□□</td>
□□</tr>
□□□□<tr>
□□□<td>
□□□□□□□□□□<code>per_page</code>
□□□□□□□□□</td>
□□□<td>
□□□□□□□□□□ Maximum number of items to be returned in result set.
□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□Default: <code>100</code>
□□□□□
□□□□□□□□□□□□□□□</td>
□□</tr>
□□□□<tr>
□□□<td>
□□□□□□□□□□<code>search</code>
□□□□□□□□□</td>
□□□<td>
□□□□□□□□□□ Limit results to those matching a string.
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□</td>
□□</tr>
□□□□<tr>
□□□<td>
□□□□□□□□□□<code>category</code>
□□□□□□□□□</td>
□□□<td>
□□□□□□□□□□ Limit results to those matching a category ID.
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□</td>
□□</tr>
□□□□<tr>
□□□<td>
□□□□□□□□□□<code>keyword</code>
□□□□□□□□□</td>
□□□<td>
□□□□□□□□□□ Limit results to those matching a keyword ID.
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□</td>
□□</tr>
□□□□<tr>
□□□<td>

□□□□□□□□□□□<code>slug</code>
□□□□□□□□□</td>
□□□<td>
□□□□□□□□□□□ Limit results to those matching a pattern (slug).
□□□□□□□□□□□

□□</table>

□□□ #2
□ □□□ □□□ 2025-06-04 15:42:29 UTC
□ □□□ □□□ 2025-06-04 15:42:29 UTC